

SHARP®

DESKTOP COLOR DOCUMENT SYSTEMS



MX-C357F

Sharp desktop color document systems deliver leading-edge integration and powerful productivity, all in a small compact design.

A HIGHER BENCHMARK OF INNOVATION

performance

The MX-C357F desktop color document system delivers crisp, high-quality output with exceptional ease of use. This model provides customers with an intuitive user experience and the confidence of knowing their jobs will come out right the first time, every time. Designed with robust technology and software typically found on larger machines, the compact MX-C357F delivers the productivity you need with the performance and reliability you want in your workplace or home office.

Key Features

- **Ease of Use** – Intuitive 4.3" (diagonal) touchscreen display offers a user-friendly graphical interface with simplified Easy Modes, integrated user guides and quick access to network services.
- **Productivity** – Out-of-the-box copy, print, scan and fax capabilities standard plus **Cloud Connect** features and optional wireless connectivity enables users to easily manage their workflow from PCs, smartphones and tablets.
- **Workplace Friendly** – Integrates seamlessly with today's complex network environments and supports popular cloud services and mobile technologies. Sharp utilizes system updates to provide feature enhancements and to ensure your machine remains compatible with current technology.

The compact MX-C357F desktop color document system offers powerful productivity features enabling users to quickly execute workflow tasks whether in the office, or working from home.



DESIGNED TO DELIVER HIGH PRODUCTIVITY



INTUITIVE INTERFACE

VERSATILE DESIGN

OUT-OF-THE-BOX PRODUCTIVITY

Reliable Document System that meets tomorrow's business needs today.

- Standard **copy, print, scan** and **fax** capability right out-of-the-box.
- **Compact design** easily fits into small offices or home workspaces in desktop or console configuration.
- **50-sheet** reversing single pass feeder **scans at speeds up to 50 images per minute**.
- Supports **letter size, legal size and envelopes** through the standard paper drawer or bypass tray.
- Offers up to **five paper sources** with available 1,451-sheet maximum paper capacity.
- **1,200 x 1,200 dpi** printing delivers clear, crisp images and text page after page.
- **4.3" (diagonal) color touchscreen** with adjustable viewing angle offers smooth, tablet-style interaction.



- Optional **compact PDF** feature dramatically reduces the file size of most color scanned documents.
- Convenient front-facing **USB** port for **easy direct printing** of PDF files from a USB drive without having to access a PC.
- Print **Microsoft® Word, Excel®, or PowerPoint®** files directly from a mobile device, USB drive, or file server.
- Optional **optical character recognition (OCR)** allows users to convert a scanned document into a searchable PDF file or into an editable Word file.
- **Supports popular mobile technologies**, enabling users to easily print files from smartphones, tablets and even notebook computers.
- Protect your intellectual property: **A wide range of security features** help to keep your information safe, whether it's in a document, on the device, or over your network.
- **Sharp Remote Device Manager (SRDM)** allows administrators to have centralized control of the networked MFP in order to simplify installation and management.

MX-C357F SPECIFICATIONS

Main Specifications

MX-C357F	Base model includes 50-sheet RSPF, PCL® 6 and PostScript® 3™ printing systems, network scanning, auto duplexing, 1 x 250-sheet paper drawer, 1-sheet bypass tray. Black developer is included.
Type	Desktop color multifunction printer
Display	4.3" (diagonal) color touch panel display. 480 x 272 pixels
Functions	Copy, print, network print, network scan, document filing and fax
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic brush development/OPC drums/roller fusing/white LED exposure
Originals	Sheets and bound documents
Max. Original Size	8½" x 14"
Output Size	Min. 5½" x 8½", Max. 8½" x 14"
Copy Speed	35 ppm (8 1/2" x 11")
First Copy Time (in seconds)²	Platen Glass: Mono 8.5, Color 10 Doc Feeder: Mono 9, Color 9.5
Magnification	25% to 400% in 1% increments
Original Feed	50-sheet RSPF
Scan Speed	Up to 50 ipm (Mono)/32 ipm (Color)
Original Sizes	5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business card
Paper Capacity	Standard: 251 sheets/Maximum: 1,451 sheets
Paper Feed System²	Standard: (1) 250-sheet paper drawers (letter/statement size/labels) System and 1-sheet bypass tray (letter/legal/statement/envelope size). Optional: (1) 650-sheet paper drawer, (1) 550-sheet paper drawer (letter/legal/statement size/labels)
Paper Weights and Types	Standard and optional paper drawers: 16-28 lb bond - 65 lb. cover. Other paper types include plain, recycled, pre-punched, letterhead, pre-printed, color, gloss, cardstock, 6-28 lb. bond envelopes and 58 lb. bond labels. Bypass tray: 16-20 lb. bond (thin paper), 20-24 lb. bond (plain paper), 24lb. bond-65 lb. cover (heavy paper), 20-24 lb. bond, cardstock, and envelopes (up to 10).
Duplexing	Standard automatic duplex copying and printing
CPU	1 GHz multi-processor design
Interface¹	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0: 2 host, high speed ports, (front), wireless LAN optional (802.11 b/g/n)
Memory	Standard: 2 GB/Maximum: 6 GB
Hard Disk Drive	Optional 500 GB
Copy Resolution	Up to 600 x 600 dpi
Copy Features	Scan-once print many, electronic sorting, Auto Paper Selection (APS), Auto Magnification (AMS), darkness, save as shortcut, auto center, background removal, contrast, mirror image, negative image, scan edge-to-edge, shadow detail, sharpness, color dropout, job build, cover page setup, edge erase, header/footer, margin shift, overlay, separator sheets.
Account Control	Supports user authentication via user-number
Output Tray Capacity	Center Exit Tray (Main): 300 sheets plain paper/ 50 envelopes
Cloud Supported Services³	Google Drive, OneDrive for Business, SharePoint Online, Dropbox
Network Protocols	TCP/IP (IPv4, IPv6, TCP X, UDP X, IPSEC w/ IPv4 X, IPSEC w/ IPv6 X, ICMP X, IGMP X, 802.1x)

Main Specifications (continued)

Network and Data Security	Includes IP address filtering, protocol filtering, port control, TLS Encryption, Kerberos, AES 256 bit data encryption, optional data overwrite (up to 3 times)
Firmware Management	Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Manager)
Device Setup	Web-based management/cloning with user/administrator level login
Service/Functions	Remote Front Panel, remote access to service logs and click counts
Accessibility Features	Free stop tilting front panel, adjustment of key touch sound and speed, document feeder free stop, job programs, and disable screen timeout
Environmental Standards	International ENERGY STAR Program Ver. 3.0, European RoHS, Blue Angel (RAL-UZ205)
Power	110-127V AC, 60 HZ, 12 A receptacle
Power Consumption	1.44 KWh
Weight	60 lbs.
Dimensions	17.4" (w) x 23.1" (d) x 18.2" (h)

Network Printing System

PDL	Standard PCL compatible 6, PostScript 3
Resolution	1,200 x 1,200 dpi
Print Speed	35 ppm (8 1/2" x 11")
Print Drivers	Windows® 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows PPD, MAC OSX® (including 10.10 to 10.15), all MAC PPD, UNIX®, Linux® PPD
Mobile Printing	AirPrint, Android printing framework
Print Features	Auto configuration, bar code font printing, carbon copy print, chapter inserts, confidential print, custom image registration, different cover page/last page/other page, document control, document filing, duplex printing, electronic sorting, form overlay, hidden pattern print, image rotation, image stamp, image type, job retention, layout print, margin shift, network tandem print, N-up printing, page interleave, pamphlet style, proof print, print and send, stapling, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print.
Direct Printing	File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PCX, PDF, PNG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTP, SMB, Web page, Email and USB memory
Resident Fonts	89 fonts (PCL), 158 fonts (PS)
Operating Systems and Environments	Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10, Windows Server 2003, Windows Server 2008, Windows Server 2010, Windows Server 2012, Citrix®, Linux, Novell®, UNIX
Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix
Network	
Scan Modes	Standard: color, monochrome and grayscale

Network (continued)

Max. Original Size	8½" x 14"
Optical Resolution	600 dpi
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 75 dpi
Image Compression	Color Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹
Image Formats	JPEG, PDF, PDF/A-1a/1b, compact PDF, searchable PDF, encrypted PDF, TIFF, XPS
Scan Destinations	Email, Desktop, FTP, Folder (SMB), USB, Super G3 fax
Enhanced Email Integration	Standard Gmail connector
Scanning Protocols	HTTP/HTTPS,FTP/FTPS, SMTP/SMTP/SMTP-SSL/ESMTP, POP3, LDAP, S/MIME
Software	Optional third party applications

Super G3 Facsimile Function

Communication Line	Public Switched Telephone Network (PSTN) or Analog PABX (RJ-11)
Transmission Mode	Super G3, G3
Modem Speed	Maximum 33.6 KBPS with auto fallback
Compression	JBIG, MMR, MR, MH
Scanning Method	Sheet fed or manual feed from platen glass
Transmit Resolution	600 x 600 dpi (ultra-fine), 300 x 300 dpi (super-fine), 200 x 200 dpi (fine), 200 x 100 (standard)
Transmit Speed	Approx. 3 seconds per page in Super G3 mode
Auto Dialing	Up to 500 destinations (combined)
Group Dialing	Up to 500 groups
Inbound Fax Routing	To email address, FTP or SMB using Transmit Terminal Identification (TTI), also Document Administration function can send blind copy of transmissions and receptions to an administrator email address, FTP or SMB location.
Max. Original Length	Up to 14"
Memory¹	18 MB (with optional HDD)
Features	Transaction Reports, Activity Reports, PC Fax, Quick On-line Transmission, Inbound Fax Routing, Anti-junk Fax Reception, Fax Release, Out-of-Paper Memory Reception, Auto Redial, Auto Exposure, Chain Dialing, Duplex Reception, Fax Forwarding, Cover Page and Scan Preview.

Optional Equipment

MX-CS18	550-sheet Paper Feed Unit
MX-CS20	650-sheet duo Paper Feed Unit

Supplies

MX-C35TB	Black Toner Cartridge
MX-C35TC	Cyan Toner Cartridge
MX-C35TM	Magenta Toner Cartridge
MX-C35TY	Yellow Toner Cartridge
MX-C35DU-B	Black Imaging Kit
MX-C35DU-S	Black and Color Imaging Kit

¹ Some features require optional equipment. See your local dealer.

² May vary depending on product configuration, machine settings and operating and/or environmental conditions.

³ May not yet be available for all models. Please contact a Sharp representative for further details.



SHARP®

SHARP ELECTRONICS CORPORATION
100 Paragon Drive, Montvale, NJ 07645
1-800-BE-SHARP • www.sharppusa.com

Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Microsoft, Office 365, Active Directory, Windows, Windows Server, Excel, PowerPoint, OneDrive, and SharePoint are trademarks or registered trademarks of Microsoft Corporation. Android, Chrome, Gmail, Google Drive, Google Cloud Print, and Chromebook are trademarks or registered trademarks of Google LLC. Adobe, the Adobe logo, PostScript, and PostScript 3 are either registered trademarks or trademarks of Adobe in the United States and/or other countries. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. Amazon, Alexa, and all related logos and motion marks are trademarks of Amazon.com, Inc. or its affiliates. All other trademarks are the property of their respective owners. Design and specifications subject to change without notice.